




TRENDS | 1.8^A


OVERVIEW GB

SIBU | DESIGN
we decorate.


LEATHER-LINE




LL Lemon
Yellow
Antigrav



LL Pumpkin
Orange
Antigrav




LL Cobalt
Blue Antigrav



LL Apple
Green Antigrav

SIBUGLAS



SG GENESIS
Grey AR+



SG SHATTERED
Silver AR+



SG SHATTERED
Champagne AR+




SG SHATTERED
Rose AR+



SG SHATTERED
Brown AR+



SG SHATTERED
Grey AR+




SG CURVED
Silver AR+




SG CURVED
Gold AR+




SG CURVED
Rose AR+




SG ALIGNED
Silver AR+




SG ALIGNED
Gold AR+




SG ALIGNED
Rose AR+



SG GRID
Silver AR+



SG GRID
Gold AR+



SG GRID
Rose AR+

WOOD-LINE




WL Carbonized
Wood



WL Carbonized
Wood Antigrav


DECO-LINE




DM OXIDIZED
Silver AR




DM OXIDIZED
Autumn AR




DM OXIDIZED
Copper AR



DM OXIDIZED
Nickel AR




DM OXIDIZED
Platin AR




DM OXIDIZED
Titan AR



DM SLIGHTLY
USED Gold AR




DM SLIGHTLY
USED Bronze AR




DM SLIGHTLY
USED Copper AR




DM SLIGHTLY
USED Titan AR




DM METALLIC
USED
Champagne AR




DM METALLIC
USED Silver AR




DM METALLIC
USED Titan AR




DM METALLIC
USED Ivory AR




DM METALLIC
USED Sand AR



DM METALLIC
USED Bronze AR



DM METALLIC
USED Steel AR



DM REFINED
METAL Silver AR



DM REFINED
METAL Titan AR



LL Lemon Yellow AntigraV
2600 x 1000 / NA 20425



LL Pumpkin Orange AntigraV
2600 x 1000 / NA 20424



LL Cobalt Blue AntigraV
2600 x 1000 / NA 20422



LL Apple Green AntigraV
2600 x 1000 / NA 20423

2600 x 1000




Photo: iStock.com

LEATHER-LINE

LL ANTIGRAV

Product characteristics

	NA	SA
Base material	PP-glass fibres	
Surface material	PU-leather	
Material thickness mm	3,8	3,93
Temperature stability	up to 60 °C	
Wet room suitability	■■■■■	
Rolled packable	—	—

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing	✓	—
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	

Extra equipment

	NA	SA
Special formats	—	—
Further thicknesses	—	—
Cuttings	✓	✓
Magnetic from 3 sheets*	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Accessories

SIBU SILICON 1.4A	✓
SIBUKLE	Spatula A2

Special colors

On request



SG GENESIS Grey AR+
2600 x 1000 / **NA** 20185 / **SA** 20223

SIBUGLAS scratch-resistant

SG GENESIS Grey AR+

2600 x 1000



Product characteristics

	NA	SA
Surface material	PMMA	
Back side material	Paper	
Material thickness mm	2,3	2,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■	
Abrasion resistance	■■■■■■■■	
Rolled packable	—	—

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing (supported by a panel)	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Accessories

SIBUKLE	Spatula A2
Profile groups	3 / 5

Special colors

—



SG SHATTERED Silver AR+
2600 x 1000 / **NA** 20168 / **SA** 20206



SG SHATTERED Champagne AR+
2600 x 1000 / **NA** 20174 / **SA** 20212



SG SHATTERED Rose AR+
2600 x 1000 / **NA** 20175 / **SA** 20213



SG SHATTERED Brown AR+
2600 x 1000 / **NA** 20173 / **SA** 20211



SG SHATTERED Grey AR+
2600 x 1000 / **NA** 20172 / **SA** 20210

2600 x 1000



□
SG SHATTERED Rose AR+

Photo: © istock.com

SIBUGLAS scratch-resistant

SG SHATTERED AR+

Product characteristics

	NA	SA
Base material	PMMA	
Surface material	PU-leather	
Material thickness mm	2,6	2,73
Temperature stability	up to 60 °C	
Wet room suitability	■■■■	
Abrasion resistance	■■■■■■■■	
Rolled packable	—	—

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets*	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Accessories


SIBUKLE	Spatula A2
Profile groups	3 / 5

Special colors

—



SG CURVED Silver AR+
2600 x 1000 / **NA** 20177 / **SA** 20215



SG CURVED Gold AR+
2600 x 1000 / **NA** 20176 / **SA** 20214



SG CURVED Rose AR+
2600 x 1000 / **NA** 20178 / **SA** 20216



Photo: © istock.com

2600 x 1000



SIBUGLAS scratch-resistant

SG CURVED AR+

Product characteristics

	NA	SA
Base material	PMMA	
Surface material	PU-leather	
Material thickness mm	2,9	3,03
Temperature stability	up to 60 °C	
Wet room suitability	■■■■■	
Abrasion resistance	■■■■■■■	
Rolled packable	—	—

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets*	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Accessories


SIBUKLE	Spatula A2
Profile groups	3 / 5

Special colors


—



SG ALIGNED Silver AR+
2600 x 1000 / **NA** 20180 / **SA** 20219



SG ALIGNED Gold AR+
2600 x 1000 / **NA** 20179 / **SA** 20218



SG ALIGNED Rose AR+
2600 x 1000 / **NA** 20181 / **SA** 20217



Photo: © istock.com

2600 x 1000



SIBUGLAS scratch-resistant

SG ALIGNED AR+

Product characteristics

	NA	SA
Base material	PMMA	
Surface material	PU-leather	
Material thickness mm	2,9	3,03
Temperature stability	up to 60 °C	
Wet room suitability	■■■■■	
Abrasion resistance	■■■■■■■	
Rolled packable	—	—

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets*	✓	
PVA pre-treatment	—	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Accessories


SIBUKLE	Spatula A2
Profile groups	3 / 5

Special colors


—



SG GRID Silver AR+
2600 x 1000 / **NA** 20183 / **SA** 20222



SG GRID Gold AR+
2600 x 1000 / **NA** 20182 / **SA** 20221




SG GRID Rose AR+
2600 x 1000 / **NA** 20184 / **SA** 20220



Photo: © istock.com

2600 x 1000



SIBUGLAS scratch-resistant

SG GRID AR+

Product characteristics

	NA	SA
Base material	PMMA	
Surface material	PU-leather	
Material thickness mm	2,9	3,03
Temperature stability	up to 60 °C	
Wet room suitability	■■■■■	
Abrasion resistance	■■■■■■■	
Rolled packable	—	—

Processing

	NA	SA
Cutting, punching	—	—
Drilling	✓	✓
Sawing	✓	✓
Laser cutting	✓	✓
Hot bending	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1000	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets*	✓	
PVA pre-treatment	—	—


* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Accessories

SIBUKLE	Spatula A2
Profile groups	3 / 5

Special colors

—



WL Carbonized Wood
2600 x 1000 / **NA** 20157 / **SA** 20224

WOOD-LINE

WL Carbonized Wood

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	impregnated paper	
Material thickness mm	1,3	1,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■□□	
Rolled packable **	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	
Maximum width mm	1220	
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets***	✓	
PVA pre-treatment	✓	—

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	✓	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5


Special colors

—

* Prior to printing a corona or plasma treatment has to be carried out. Upon request available in pre-treated version.
 ** Design sheets are to be rolled with the patterned side on the inside (applies for both the NA and SA versions).
 We recommend that not more than 3 sheets be rolled per carton (480 x 480 mm).
 *** Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

2600 x 1000





WL Carbonized Wood Antigra

Photo: © fotolia.com



WL Carbonized Wood Antigra
2600 x 1000 / NA 20158

WOOD-LINE

WL Carbonized Wood Antigra

Product characteristics

	NA	SA
Base material	PP-glass fibres	
Surface material	impregnated paper	
Material thickness mm	3,3	3,43
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■□□	
Rolled packable	—	—

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1220	1220
Further thicknesses	—	—
Cuttings	✓	✓
Magnetic from 3 sheets**	✓	
PVA pre-treatment	—	—

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	—	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	1000 mm	

Accessories

SIBUKLE	Spatula A2
Profile groups	4

Special colors

—

* Prior to printing a corona or plasma treatment has to be carried out.
Upon request available in pre-treated version.

** Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

2600 x 1000






Photo: © istock.com




DM OXIDIZED Silver AR
2600 x 1000 / **NA** 20139 / **SA** 20187



DM OXIDIZED Autumn AR
2600 x 1000 / **NA** 20143 / **SA** 20191




DM OXIDIZED Copper AR
2600 x 1000 / **NA** 20138 / **SA** 20186



DM OXIDIZED Nickel AR
2600 x 1000 / **NA** 20140 / **SA** 20188



DM OXIDIZED Platin AR
2600 x 1000 / **NA** 20141 / **SA** 20189



DM OXIDIZED Titan AR
2600 x 1000 / **NA** 20142 / **SA** 20190

2600 x 1000



DECO-LINE abrasion-resistant

DM OXIDIZED AR

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■■■	
Rolled packable	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1250	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	—	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors


—




Photo: © istock.com



DM SLIGHTLY USED Gold AR
2600 x 1000 / NA 20153 / SA 20201



DM SLIGHTLY USED Bronze AR
2600 x 1000 / NA 20152 / SA 20200



DM SLIGHTLY USED Copper AR
2600 x 1000 / NA 20151 / SA 20199



DM SLIGHTLY USED Titan AR
2600 x 1000 / NA 20154 / SA 20202

DECO-LINE abrasion-resistant

DM SLIGHTLY USED AR

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■■■	
Rolled packable	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1250	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	—	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

2600 x 1000





Photo: © istock.com



FR

PR+

DM METALLIC USED Champagne AR
2600 x 1000 / NA 20150 / SA 20198



FR

PR+

DM METALLIC USED Silver AR
2600 x 1000 / NA 20145 / SA 20193



FR

PR+

DM METALLIC USED Titan AR
2600 x 1000 / NA 20144 / SA 20192

DECO-LINE abrasion-resistant

DM METALLIC USED AR

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■■■	
Rolled packable	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1250	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	—	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

2600 x 1000







DM METALLIC USED Ivory AR
2600 x 1000 / NA 20149 / SA 20197



DM METALLIC USED Sand AR
2600 x 1000 / NA 20147 / SA 20195



DM METALLIC USED Bronze AR
2600 x 1000 / NA 20146 / SA 20194



DM METALLIC USED Steel AR
2600 x 1000 / NA 20148 / SA 20196

DECO-LINE abrasion-resistant

DM METALLIC USED AR

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■□	
Abrasion resistance	■■■■■■■	
Rolled packable	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1250	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	—	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

2600 x 1000





DM REFINED METAL Silver AR
2600 x 1000 / NA 20155 / SA 20203



DM REFINED METAL Titan AR
2600 x 1000 / NA 20156 / SA 20204

Photo: © istock.com

DECO-LINE abrasion-resistant

DM REFINED METAL AR

2600 x 1000

Product characteristics

	NA	SA
Base material	HIPS	
Surface material	Print	
Material thickness mm	1,0	1,13
Temperature stability	up to 60 °C	
Wet room suitability	■■■■□	
Abrasion resistance	■■■■■■■	
Rolled packable	✓	✓

Extra equipment

	NA	SA
Special formats	✓	✓
Maximum length mm	3000	3000
Maximum width mm	1250	1220
Further thicknesses	✓	✓
Cuttings	✓	✓
Magnetic from 3 sheets *	✓	
PVA pre-treatment	✓	—

* Ground must be a SIBU metal foil SA (ref. 17637, self adhesive).

Processing

	NA	SA
Cutting, punching	✓	✓
Drilling	✓	✓
Sawing, milling	✓	—
Laser cutting	✓	✓
Hot bending	—	—
Thermoforming	—	—
PVA compressible	✓	—
Smallest bending radius	150 mm	

Accessories

SIBUKLE	Spatula A1
Profile groups	1 / 2 / 3 / 5

Special colors

—

NA

non-adhesive

SA

strongly adhesive

FR

flame-retardant
version available on request

PR

digital printing possible

PR+

digital/screen printing possible

PR+*

digital/screen printing possible
Prior to printing a corona or plasma
treatment has to be carried out.
By request available in pre-treated version.



wet room suitability



limited suitability for wet rooms

AR

abrasion-resistant

AR+

scratch-resistant



entire panel length not shown in image

SIBU | DESIGN
we decorate.

SIBU DESIGN GmbH & CoKG
Jupiterstraße 8 - 4452 Ternberg - Austria - Tel.: +43 (0) 7256.6025.0
Fax: +43 (0) 7256.7020 - E-mail: info@sibu.at - www.sibu.at

SIBU|DESIGN_0118_GB